## => d his ful

(FILE 'HOME' ENTERED AT 22:26:01 ON 25 JUN 2002)

FILE 'EMBASE, BIOSIS, EUROPATFULL, JAPIO, ADISALERTS, ADISINSIGHT, ADISNEWS, BABS, BIOBUSINESS, BIOCOMMERCE, BIOTECHNO, CANCERLIT, CAPLUS, CBNB, CEN, CIN, CONFSCI, DGENE, DIOGENES, DRUGB, DRUGLAUNCH, DRUGMONOG2, DRUGNL, DRUGU, DRUGUPDATES, EMBAL, ESBIOBASE, ...' ENTERED AT 22:26:24

017	DIGGINE, DIG	Joseph Middle Market Ma
ON		
	25 JUN 2002	
L1	58226	SEA (PLASMA) (5A) (LIKE OR SUBSTITUTE OR SUBSTITUTES OR
		ARTIFICIAL OR SYNTHETIC)
L2	1928	SEA L1 AND (CARBON DIOXIDE OR CO2 OR CO".SUB."2)
L3	1294	SEA L2 AND (KIT OR KITS OR SYSTEM OR SYSTEMS)
L4	165	SEA L3 AND (CARBON DIOXIDE OR CO2 OR CO".SUB."2) (5A) (REDUC?
		OR LOWER? OR REMOV? OR DECREAS?)
L5	161	DUP REM L4 (4 DUPLICATES REMOVED)
		D 1-161
L6	51	SEA L2 AND (CARBON DIOXIDE OR CO2 OR CO".SUB."2) (5A) (REDUC?
		OR LOWER? OR REMOV? OR DECREAS?) NOT L4
L7	45	DUP REM L6 (6 DUPLICATES REMOVED)
	• •	D 1-45

ò

L11 ANSWER 18 OF 43 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER:

1996:423142 CAPLUS

DOCUMENT NUMBER:

125:104684

TITLE:

Carbon dioxide transport by

hemoglobin-based blood substitutes

AUTHOR (S):

Winslow, Robert M.

CORPORATE SOURCE:

Sch. Med., Univ. California, San Diego, San Diego, CA,

92161, USA

SOURCE:

Blood Substitutes: New Challenges (1996), 146-162. Editor(s): Winslow, Robert M.; Vandegriff, Kim D.; Intaglietta, Marcos. Birkhaeuser: Boston, Mass.

CODEN: 62ZGAT Conference

DOCUMENT TYPE:

English

LANGUAGE: CLASSIFICATION:

1-8 (Pharmacology)

ABSTRACT:

Carbon dioxide transport by blood is often overlooked when considering the design and clin. potential of cell-free O2 carriers. However, approx. the same amt. of CO2 is removed from respiring tissue as O2 delivered to, and the implications for blood substitutes must be considered, esp. in critically ill patients where tissue CO2 build-up could be very high. Approx. 23% of total CO2 is transported as carbamate (i.e., bound to Hb) and is "oxy-labile" (the affinity of deoxy Hb for is higher than that of oxyHb). In addn. to this important role of Hb, red cells are also crit. to overall CO2 transport because they contain carbonic anhydrase which permits the rapid hydration of CO2 to bicarbonate and hydrogen ion. Without this enzyme, the hydration reaction would be much slower than the circulation time. Except for .alpha..alpha.-Hb, which has reduced CO2 binding, little is known about the effects of crosslinking on CO2 binding. It is of interest to consider how CO2 transport is handled naturally by underwater (crocodiles) and high altitude animals (sheep and goats) who are faced with 02 shortages in nature.

SUPPL. TERM:

carbon dioxide transport Hb blood

substitute

INDEX TERM:

Biological transport

Blood substitutes and Plasma expanders

Erythrocyte

(carbon dioxide transport by Hb-based

blood substitutes)

INDEX TERM:

Hemoglobins

ROLE: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use);

BIOL (Biological study); USES (Uses)
(carbon dioxide transport by Hb-based

blood substitutes)

INDEX TERM:

9001-03-0, Carbonic anhydrase

ROLE: BAC (Biological activity or effector, except adverse);

BSU (Biological study, unclassified); BIOL (Biological

study)

(carbon dioxide transport by Hb-based

blood substitutes)

INDEX TERM:

124-38-9, Carbon dioxide, biological

studies 7782-44-7, Oxygen, biological studies

ROLE: BPR (Biological process); BSU (Biological study, unclassified); BIOL (Biological study); PROC (Process)

(carbon dioxide transport by Hb-based

blood substitutes)

INDEX TERM:

71-52-3, Bicarbonate 12408-02-5, Hydrogen ion, biological

studies

ROLE: BSU (Biological study, unclassified); MFM (Metabolic

formation); BIOL (Biological study); FORM (Formation,

nonpreparative)
 (carbon dioxide transport by Hb-based
 blood substitutes)

=>